



1 Mustard ST.
Suite 250
Rochester, NY 14609
(585) 288-5380

THIS IS AN ANALYTICAL TEST REPORT FOR:

Client : Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Lab Submission # : R2318328
Project Manager : Mark Wilson
Reported : 10/15/03

Samples Subcontracted to:

Lozier Laboratories, Inc.
696 North Winton Road
Rochester, NY 14609
Lab ID: 10390
Phone #: (716) 654-6350
Fax #:
Contact:

Report Contains a total of 19 pages

The results reported herein relate only to the samples received by the laboratory. This report may not be reproduced except in full, without the approval of Columbia Analytical Services.

This package has been reviewed by Columbia Analytical Services' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. *Michael K. Perry*



CASE NARRATIVE

This report contains analytical results for the following samples:

Submission #: R2318328

<u>Lab ID</u>	<u>Client ID</u>
670253	BLACK CREEK MOUTH (#1)
670254	BLACK CREEK@UNION ST. (#2)
670255	BLACK CREEK@ATTRIDGE RD. (#3)
670256	BC@CHURCHVILLE BEL.DAM (#4)
670257	BC@EAST BERGEN RT 19 (#5)
670258	BC@WEST SWEDEN RD. (#6)
670259	BC@Rt. 490 (#7)

All samples were received in good condition unless otherwise noted on the cooler receipt and preservation check form located at the end of this report.

All samples were preserved in accordance with approved analytical methods.

All samples have been analyzed by the approved methods cited on the analytical results pages.

All holding times and associated QC were within limits.

No analytical or QC problems were encountered.

All sampling activities performed by CAS personnel have been in accordance with "CAS Field Procedures and Measurements Manual" or by client specifications.



Effective 6/12/2003

INORGANIC QUALIFIERS

C (Concentration) qualifier –

- B - if the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL).
- U - if the analyte was analyzed for, but not detected

Q qualifier - Specified entries and their meanings are as follows:

- D - Spike was diluted out
- E - The reported value is estimated because of the presence of interference.
- J - Estimated Value
- M - Duplicate injection precision not met.
- N - Spiked sample recovery not within control limits.
- S - The reported value was determined by the Method of Standard Additions (MSA).
- W - Post-digestion spike for Furnace AA Analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.
- * - Duplicate analysis not within control limits.
- + - Correlation coefficient for the MSA is less than 0.995.

M (Method) qualifier:

- "P" for ICP
- "A" for Flame AA
- "F" for Furnace AA
- "PM" for ICP when Microwave Digestion is used
- "AM" for Flame AA when Microwave Digestion is used
- "FM" for Furnace M when Microwave Digestion is used
- "CV" for Manual Cold Vapor AA
- "AV" for Automated Cold Vapor AA
- "CA" for Midi-Distillation Spectrophotometric
- "AS" for Semi-Automated Spectrophotometric
- "C" for Manual Spectrophotometric
- "T" for Titrimetric
- " " where no data has been entered
- "NR" if the analyte is not required to be analyzed.

CAS/Rochester Lab ID # for State Certifications

Army Corp of Engineers Validated
Delaware Accredited
Connecticut ID # PH0556
Florida ID # E87674
Massachusetts ID # M-NY032
Navy Facilities Engineering Service Center Approved
Nebraska Accredited
NELAP Accredited

New York ID # 10145
New Jersey ID # NY004
New Hampshire ID # 294100 A/B
Pennsylvania Registration 68-786
Rhode Island ID # 158
South Carolina ID #91012
West Virginia ID # 292

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BLACK CREEK MOUTH (#1)

Date Sampled : 09/08/03 09:10 Order #: 670253 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE	TIME	DILUTION
					ANALYZED	ANALYZED	
BOD-5	405.1	2.00	2.00 U	MG/L	09/10/03	08:17	1.0
CHLORIDE	325.2	1.00	34.8	MG/L	09/18/03	10:29	1.0
NITRITE NITROGEN	353.2	0.0100	0.0187	MG/L	09/09/03	14:21	1.0
TOTAL ALKALINITY	310.1	2.00	107	MG/L	09/16/03	08:47	1.0
TOTAL PHOSPHORUS	365.1	0.0500	0.0663	MG/L	09/12/03	10:06	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BLACK CREEK MOUTH (#1)

Date Sampled : 09/08/03 09:10 Order #: 670253 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
CADMIUM	6010B	0.00500	0.00500 U	MG/L	09/18/03	1.0
CHROMIUM	6010B	0.0100	0.0100 U	MG/L	09/18/03	1.0
COPPER	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0
LEAD	6010B	0.0500	0.0500 U	MG/L	09/18/03	1.0
NICKEL	6010B	0.0400	0.0400 U	MG/L	09/18/03	1.0
ZINC	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BLACK CREEK@UNION ST. (#2)

Date Sampled : 09/08/03 09:20 Order #: 670254 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE	TIME	DILUTION
					ANALYZED	ANALYZED	
BOD-5	405.1	2.00	2.00 U	MG/L	09/10/03	08:15	1.0
CHLORIDE	325.2	1.00	85.4	MG/L	09/18/03	10:29	1.0
NITRITE NITROGEN	353.2	0.0100	0.0100 U	MG/L	09/09/03	14:21	1.0
TOTAL ALKALINITY	310.1	2.00	204	MG/L	09/16/03	08:47	1.0
TOTAL PHOSPHORUS	365.1	0.0500	0.0613	MG/L	09/12/03	10:06	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BLACK CREEK@UNION ST. (#2)

Date Sampled : 09/08/03 09:20 Order #: 670254 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
CADMIUM	6010B	0.00500	0.00500 U	MG/L	09/18/03	1.0
CHROMIUM	6010B	0.0100	0.0100 U	MG/L	09/18/03	1.0
COPPER	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0
LEAD	6010B	0.0500	0.0500 U	MG/L	09/18/03	1.0
NICKEL	6010B	0.0400	0.0400 U	MG/L	09/18/03	1.0
ZINC	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BLACK CREEK@ATTRIDGE RD. (#3)

Date Sampled : 09/08/03 10:00 Order #: 670255 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE	TIME	DILUTION
					ANALYZED	ANALYZED	
BOD-5	405.1	2.00	2.00 U	MG/L	09/10/03	08:24	1.0
CHLORIDE	325.2	1.00	82.6	MG/L	09/18/03	10:29	1.0
NITRITE NITROGEN	353.2	0.0100	0.0100 U	MG/L	09/09/03	14:21	1.0
TOTAL ALKALINITY	310.1	2.00	190	MG/L	09/16/03	08:47	1.0
TOTAL PHOSPHORUS	365.1	0.0500	0.0927	MG/L	09/12/03	10:06	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BLACK CREEK@ATTRIDGE RD. (#3)

Date Sampled : 09/08/03 10:00 Order #: 670255 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
CADMIUM	6010B	0.00500	0.00500 U	MG/L	09/18/03	1.0
CHROMIUM	6010B	0.0100	0.0100 U	MG/L	09/18/03	1.0
COPPER	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0
LEAD	6010B	0.0500	0.0500 U	MG/L	09/18/03	1.0
NICKEL	6010B	0.0400	0.0400 U	MG/L	09/18/03	1.0
ZINC	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BC@CHURCHVILLE BEL.DAM (#4)

Date Sampled : 09/08/03 10:20 Order #: 670256 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE	TIME	DILUTION
					ANALYZED	ANALYZED	
BOD-5	405.1	2.00	2.00 U	MG/L	09/10/03	08:14	1.0
CHLORIDE	325.2	1.00	85.2	MG/L	09/18/03	10:29	1.0
NITRITE NITROGEN	353.2	0.0100	0.0277	MG/L	09/09/03	14:21	1.0
TOTAL ALKALINITY	310.1	2.00	176	MG/L	09/16/03	08:47	1.0
TOTAL PHOSPHORUS	365.1	0.0500	0.0605	MG/L	09/12/03	10:06	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BC@CHURCHVILLE BEL.DAM (#4)

Date Sampled : 09/08/03 10:20 Order #: 670256 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
CADMIUM	6010B	0.00500	0.00500 U	MG/L	09/18/03	1.0
CHROMIUM	6010B	0.0100	0.0100 U	MG/L	09/18/03	1.0
COPPER	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0
LEAD	6010B	0.0500	0.0500 U	MG/L	09/18/03	1.0
NICKEL	6010B	0.0400	0.0400 U	MG/L	09/18/03	1.0
ZINC	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BC@EAST BERGEN RT 19 (#5)

Date Sampled : 09/08/03 10:53 Order #: 670257 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE	TIME	DILUTION
					ANALYZED	ANALYZED	
BOD-5	405.1	2.00	2.00 U	MG/L	09/10/03	08:20	1.0
CHLORIDE	325.2	1.00	88.8	MG/L	09/18/03	10:29	1.0
NITRITE NITROGEN	353.2	0.0100	0.0100 U	MG/L	09/09/03	14:21	1.0
TOTAL ALKALINITY	310.1	2.00	220	MG/L	09/16/03	08:47	1.0
TOTAL PHOSPHORUS	365.1	0.0500	0.0536	MG/L	09/12/03	10:06	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BC@EAST BERGEN RT 19 (#5)

Date Sampled : 09/08/03 10:53 Order #: 670257 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
CADMIUM	6010B	0.00500	0.00500 U	MG/L	09/18/03	1.0
CHROMIUM	6010B	0.0100	0.0100 U	MG/L	09/18/03	1.0
COPPER	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0
LEAD	6010B	0.0500	0.0500 U	MG/L	09/18/03	1.0
NICKEL	6010B	0.0400	0.0400 U	MG/L	09/18/03	1.0
ZINC	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BC@WEST SWEDEN RD. (#6)

Date Sampled : 09/08/03 11:13 Order #: 670258 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE	TIME	DILUTION
					ANALYZED	ANALYZED	
BOD-5	405.1	2.00	2.00 U	MG/L	09/10/03	08:21	1.0
CHLORIDE	325.2	1.00	88.3	MG/L	09/18/03	10:29	1.0
NITRITE NITROGEN	353.2	0.0100	0.0100 U	MG/L	09/09/03	14:21	1.0
TOTAL ALKALINITY	310.1	2.00	220	MG/L	09/16/03	08:47	1.0
TOTAL PHOSPHORUS	365.1	0.0500	0.0500 U	MG/L	09/12/03	10:06	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BC@WEST SWEDEN RD. (#6)

Date Sampled : 09/08/03 11:13 Order #: 670258 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
CADMIUM	6010B	0.00500	0.00500 U	MG/L	09/18/03	1.0
CHROMIUM	6010B	0.0100	0.0100 U	MG/L	09/18/03	1.0
COPPER	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0
LEAD	6010B	0.0500	0.0500 U	MG/L	09/18/03	1.0
NICKEL	6010B	0.0400	0.0400 U	MG/L	09/18/03	1.0
ZINC	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BC@Rt. 490 (#7)

Date Sampled : 09/08/03 11:40 Order #: 670259 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE	TIME	DILUTION
					ANALYZED	ANALYZED	
BOD-5	405.1	2.00	2.00 U	MG/L	09/10/03	08:30	1.0
CHLORIDE	325.2	1.00	84.1	MG/L	09/18/03	10:29	1.0
NITRITE NITROGEN	353.2	0.0100	0.0135	MG/L	09/09/03	14:21	1.0
TOTAL ALKALINITY	310.1	2.00	176	MG/L	09/16/03	08:47	1.0
TOTAL PHOSPHORUS	365.1	0.0500	0.0890	MG/L	09/12/03	10:06	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/15/03

Delta Laboratories, Inc.
Project Reference: BLACK CREEK TESTING
Client Sample ID : BC@rt. 490 (#7)

Date Sampled : 09/08/03 11:40 Order #: 670259 Sample Matrix: WATER
Date Received: 09/08/03 Submission #: R2318328

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
CADMIUM	6010B	0.00500	0.00500 U	MG/L	09/18/03	1.0
CHROMIUM	6010B	0.0100	0.0100 U	MG/L	09/18/03	1.0
COPPER	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0
LEAD	6010B	0.0500	0.0500 U	MG/L	09/18/03	1.0
NICKEL	6010B	0.0400	0.0400 U	MG/L	09/18/03	1.0
ZINC	6010B	0.0200	0.0200 U	MG/L	09/18/03	1.0



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

One Mustard St., Suite 250 • Rochester, NY 14609-0859 • (585) 288-5380 • 800-695-7222 x11 • FAX (585) 288-8475 PAGE 1 OF 1

SR # _____
CAS Contact _____

Project Name <i>Delta Labs Testing</i>		Project Number		
Project Manager <i>John Driscoll</i>		Report CC		
Company/Address <i>Delta Laboratories Inc. 1350 Avenue Rochester NY</i>				
Phone # <i>585-442-2100</i>		FAX#		
Sampler's Signature <i>John Driscoll</i>		Sampler's Printed Name <i>John Driscoll</i>		
CLIENT SAMPLE ID	FOR OFFICE USE ONLY LAB ID	SAMPLING DATE	TIME	MATRIX
<i>670253</i>		<i>9/16/03</i>	<i>9:00am</i>	
<i>54</i>		<i>9/16/03</i>	<i>9:20am</i>	
<i>55</i>		<i>9/16/03</i>	<i>1:00pm</i>	
<i>56</i>		<i>9/16/03</i>	<i>1:20pm</i>	
<i>57</i>		<i>9/16/03</i>	<i>1:50pm</i>	
<i>58</i>		<i>9/16/03</i>	<i>4:00pm</i>	
<i>59</i>		<i>9/16/03</i>	<i>4:30pm</i>	

ANALYSIS REQUESTED (Include Method Number and Container Preservative)	
PRESERVATIVE GC/MS VOAS <input type="checkbox"/> CLP GC/MS SVOAS <input type="checkbox"/> CLP GC VOAS <input type="checkbox"/> CLP PESTICIDES <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 PCBs <input type="checkbox"/> 8082 <input type="checkbox"/> 608 <input type="checkbox"/> CLP METALS, TOTAL (List in comments below) METALS DISSOLVED (List in comments below)	PREPARATIVE METALS, TOTAL (List in comments below) METALS DISSOLVED (List in comments below)
REMARKS/ ALTERNATE DESCRIPTION Preservative Key 0. NONE 1. HCL 2. HNO ₃ 3. H ₂ SO ₄ 4. NaOH 5. Zn Acetate 6. MeOH 7. NaHSO ₄ 8. Other _____	ANALYSIS REQUESTED (Include Method Number and Container Preservative)

SPECIAL INSTRUCTIONS/COMMENTS Metals	TURNAROUND REQUIREMENTS RUSH (SURCHARGES APPLY) 24 hr _____ 48 hr _____ 5 day _____ STANDARD REQUESTED FAX DATE _____ REQUESTED REPORT DATE _____	REPORT REQUIREMENTS I. Results Only _____ II. Results + QC Summaries (LCS, DUP, MSMSD as required) _____ III. Results + QC and Calibration Summaries _____ IV. Data Validation Report with Raw Data _____ V. Specialized Forms / Custom Report Edata <input type="checkbox"/> Yes <input type="checkbox"/> No	INVOICE INFORMATION TO# _____ BILL TO: _____ SUBMISSION# <i>1223/8328</i> RECEIVED BY _____
--	--	---	---

SAMPLE RECEIPT: CONDITION/COOLER TEMP: _____ RECEIVED BY <i>John Driscoll</i> Signature Printed Name Firm Date/Time	CUSTODY SEALS: Y N RECEIVED BY <i>John Driscoll</i> Signature Printed Name Firm Date/Time	RELINQUISHED BY Signature Printed Name Firm Date/Time
--	--	---

Cooler Receipt And Preservation Check Form

Project/Client Delta Labs Submission Number Rd-18328

Cooler received on 9-6-03 by: KE COURIER: CAS UPS FEDEX CD&L CLIENT

- 1. Were custody seals on outside of cooler? YES NO *Not all analyses*
- 2. Were custody papers properly filled out (ink, signed, etc.)? YES NO *marked on C.O.C*
- 3. Did all bottles arrive in good condition (unbroken)? YES NO
- 4. Did any VOA vials have significant air bubbles? YES NO N/A
- 5. Were Ice or Ice packs present? YES NO
- 6. Where did the bottles originate? CAS/ROC CLIENT
- 7. Temperature of cooler(s) upon receipt: 3° 1°

Is the temperature within 0° - 6° C?: Yes Yes Yes Yes Yes
 If No, Explain Below No No No No No

Date/Time Temperatures Taken: 9-8-03 @ 13:52

Thermometer ID: 161 or IR GUN Reading From: Temp Blank or Sample Bottle

If out of Temperature, Client Approval to Run Samples

Cooler Breakdown: Date: 9-9-03 by: KE

- 1. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
- 2. Did all bottle labels and tags agree with custody papers? YES NO
- 3. Were correct containers used for the tests indicated? YES NO
- 4. Air Samples: Cassettes / Tubes Intact Canisters Pressurized Tedlar® Bags Inflated N/A

Explain any discrepancies: _____

		YES	NO	Sample I.D.	Reagent	Vol. Added
pH	Reagent					
12	NaOH					
2	HNO ₃	<input checked="" type="checkbox"/>				
2	H ₂ SO ₄	<input checked="" type="checkbox"/>				
Residual Chlorine (+/-)	for TCN & Phenol					
5-9**	P/PCBs (608 only)					

YES = All samples OK NO = Samples were preserved at lab as listed PC OK to adjust pH
 **If pH adjustment is required, use NaOH and/or H₂SO₄

VOC Vial pH Verification (Tested after Analysis) Following Samples Exhibited pH > 2		

Other Comments: _____



Lozier Environmental Consulting, Inc.

688 Winton Road North
Rochester, New York 14609
Phone (585)-654-9080
Fax (585)-654-9662

New York State Approved
Environmental Laboratory
ELAP #11770

Client: Columbia Analytical Services
1 Mustard Street
Suite 250
Rochester, N.Y. 14609-6925

Date Received: 9/8/03
Laboratory No.: M1105
Sample Date: 9/8/03
Report Date: 9/12/03

Attn: Barry Fry

Page: 1 of 1

Project Name: Delta Labs- Black Creek Testing

SAMPLE INFORMATION

Sampler:	Linda Driscoll	Matrix:	Water
-----------------	----------------	----------------	-------

LABORATORY REPORT

Lab Id#	Location	Parameter: Total Coliform Membrane Filtration Units: colonies/100ml Method: SM 18 9222B Date Completed: 9/11/03	Result:	Escherichia coli positive/negative 40CFR 141.21(f)(6) 9/10/03	Fecal Coliform MPN/100ml SM 18 9221E 9/11/03	Chlorine Residual mg/l 9/8/03	Temp. rec °C 9/8/03
M1105-1	#1- Black Creek Mouth		160	positive		<0.05	6.0
M1105-2	#1- Black Creek Mouth				23	<0.05	7.0
M1105-3	#2- Black Creek @ Union St.		150	positive		<0.05	6.0
M1105-4	#2- Black Creek @ Union St.				2	<0.05	6.5
M1105-5	#3- Black Creek@ Attridge Rd.		147	positive		<0.05	9.0
M1105-6	#3- Black Creek@ Attridge Rd.				2	<0.05	11.0
M1105-7	#4- BC @ Churchville Below Dam		133	positive	4	<0.05	7.5
M1105-8	#5- BC @ East Bergen Rt. 19		140	positive		<0.05	12.0
M1105-9	#5- BC @ East Bergen Rt. 19				7	<0.05	12.0
M1105-10	#6- BC @ West Sweden Rd.		160	positive		<0.05	6.0
M1105-11	#6- BC @ West Sweden Rd.				30	<0.05	8.0
M1105-12	#7- BC @ Rt. 490		180	positive		<0.05	6.0
M1105-13	#7- BC @ Rt. 490				30	<0.05	7.0



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

SR #

CAS Contact

PAGE 1 OF

PAGE 1 OF

888-8475

288-5380

14609-0869

One Mustard St., Suite 250

• Rochester, NY

• (585) 288-5380

• (585) 288-5380

• 800-695-7222

x11 • FAX (585) 288-8475

www.caslab.com

Project Name Black Creek Testing		Project Number	
Project Manager Linda Driscoll		Report CC	
Company/Address Delta Laboratories, Inc			
East Avenue			
Rochester NY			
Phone # 585 247 2400	FAX#		
Sampler's Signature <i>[Signature]</i>	Sampler's Printed Name Linda Driscoll		
CLIENT SAMPLE ID	FOR OFFICE USE ONLY LAB ID	SAMPLING DATE	SAMPLING TIME
#1 Black Creek Mouth		9/8/03	9:10 AM
#2 Black Creek @ Union St		9/8/03	9:20 AM
#3 Black Creek @ Attridge Rd		9/8/03	10:10 AM
#4 BC @ Churchville Below Bank		9/8/03	10:20 AM
#5 BC @ East Bergen Rd		9/8/03	10:53 AM
#6 BC @ West Sweden Rd		9/8/03	11:13 AM
#7 BC @ Rt 490		9/8/03	11:40 AM
ANALYSIS REQUESTED (Include Method Number and Container Preservative)		PRESERVATIVE	
<input type="checkbox"/> METALS, TOTAL (List in comments below) <input type="checkbox"/> METALS, DISSOLVED (List in comments below) <input type="checkbox"/> PCBs 8082 <input type="checkbox"/> 608 <input type="checkbox"/> CLP <input type="checkbox"/> 8081 <input type="checkbox"/> 608 <input type="checkbox"/> CLP <input type="checkbox"/> PESTICIDES 8021 <input type="checkbox"/> 601/602 <input type="checkbox"/> GC VOAS 8270 <input type="checkbox"/> 625 <input type="checkbox"/> CLP <input type="checkbox"/> GCMS SVOAS 8260 <input type="checkbox"/> 824 <input type="checkbox"/> CLP <input type="checkbox"/> GCMS VOAS 824 <input type="checkbox"/> CLP		PRESERVATIVE NUMBER OF CONTAINERS	
Turnaround Requirements <input type="checkbox"/> RUSH (SURCHARGES APPLY) 24 hr 48 hr 5 day STANDARD REQUESTED FAX DATE REQUESTED REPORT DATE		REPORT REQUIREMENTS <input type="checkbox"/> I. Results Only <input type="checkbox"/> II. Results + QC Summaries (LCS, DUP, MISMED as required) <input type="checkbox"/> III. Results + QC and Calibration Summaries <input type="checkbox"/> IV. Data Validation Report with Raw Data <input type="checkbox"/> V. Specialized Forms / Custom Report Edata Yes No	
SPECIAL INSTRUCTIONS/COMMENTS Metals		INVOICE INFORMATION	
RECEIVED BY <i>[Signature]</i> Signature Printed Name Firm Date/Time		RECEIVED BY <i>[Signature]</i> Signature Printed Name Firm Date/Time	
RECEIVED BY <i>[Signature]</i> Signature Printed Name Firm Date/Time		RECEIVED BY <i>[Signature]</i> Signature Printed Name Firm Date/Time	
RECEIVED BY <i>[Signature]</i> Signature Printed Name Firm Date/Time		RECEIVED BY <i>[Signature]</i> Signature Printed Name Firm Date/Time	

Distribution: White - Return to Originator; Yellow - Lab Copy; Pink - Retained by Client

SCOC-1102-08